

MATERIAL SAFETY 3M
DATA SHEET 3M Center
St. Paul, Minnesota
55144-1000
1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company.
All rights reserved. Copying and/or downloading of this
information for the purpose of properly utilizing 3M products
is allowed provided that:
1) the information is copied in full with no changes unless
prior agreement is obtained from 3M, and
2) neither the copy nor the original is resold or otherwise
distributed with the intention of earning a profit thereon.

DIVISION: INDUSTRIAL TAPE AND SPECIALTIES DIVISION
TRADE NAME:
SRN-11823U. 0.23" WHITE SILICONE RUBBER COATED NEXTEL FABRIC, UNCURED
X 38".
ID NUMBER/U.P.C.:
70-0708-7692-8 00-21200-43131-9
ISSUED: November 15, 2001
SUPERSEDES: April 12, 2001
DOCUMENT: 09-0130-6

| 1. INGREDIENT | C.A.S. NO. | PERCENT |
|----------------------|-------------|---------|
| SILICONE RUBBER..... | TradeSecret | 50 - 60 |
| NEXTEL FABRIC..... | None | 40 - 50 |
| TOLUENE..... | 108-88-3 | 0 - 3 |
| WHITE COLORANT..... | 13463-67-7 | < 0.01 |

The components of this product are in compliance with the chemical
notification requirements of TSCA.

This product contains the following toxic chemical or chemicals subject to
the reporting requirements of Section 313 of Title III of the Emergency
Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372:
TOLUENE

| 2. PHYSICAL DATA |
|--------------------------------------|
| BOILING POINT:..... N/A |
| VAPOR PRESSURE:..... N/A |
| VAPOR DENSITY:..... N/A |
| EVAPORATION RATE:..... N/D |
| SOLUBILITY IN WATER:..... nil |
| SPECIFIC GRAVITY:..... N/A |
| PERCENT VOLATILE:..... 0 - 3 % by wt |
| pH:..... N/A |
| VISCOSITY:..... N/A |
| MELTING POINT:..... N/D |

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

2. PHYSICAL DATA (continued)

APPEARANCE AND ODOR:

Solid, roll of white silicone rubber coated fabric, some solvent odor.

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A
FLAMMABLE LIMITS - LEL:..... N/A
FLAMMABLE LIMITS - UEL:..... N/A
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:

Water spray, Carbon dioxide, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

No unusual fire or explosion hazards are anticipated.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 1 REACTIVITY: 0
UNUSUAL REACTION HAZARD: none

OSHA FIRE HAZARD CLASS: Not applicable

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

Strong Acids, Strong Oxidizing Agents.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide, Hydrocarbons, Irritant Vapors or Gases.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Observe precautions from other sections. Ventilate area. Collect spilled material. Place in a closed container.

RECOMMENDED DISPOSAL:

Incinerate in an industrial or commercial facility in the presence of a combustible material.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: 0 - 3 % by wt.
VOC Less H2O & Exempt Solvents: N/A.

Since regulations vary, consult applicable regulations or authorities before disposal. In the event of an uncontrolled release of this material, the user should determine if the release qualifies as a reportable quantity. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

6. SUGGESTED FIRST AID

EYE CONTACT:

No need for first aid is anticipated.

SKIN CONTACT:

No need for first aid is anticipated.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

No need for first aid is anticipated.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

 7. PRECAUTIONARY INFORMATION (continued)

SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

RECOMMENDED VENTILATION:

Use with adequate dilution ventilation.

RESPIRATORY PROTECTION:

Avoid breathing of thermal decomposition products.

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating. Do not ingest.

RECOMMENDED STORAGE:

Store in a cool place. Store away from heat. Store out of direct sunlight. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Keep away from heat, sparks, open flame, and other sources of ignition.

HMIS HAZARD RATINGS: HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 0
 PERSONAL PROTECTION: C

EXPOSURE LIMITS

| INGREDIENT | VALUE | UNIT | TYPE | AUTH | SKIN* |
|----------------------|-------|--------------------|------|-------|-------|
| SILICONE RUBBER..... | NONE | NONE | NONE | NONE | |
| NEXTEL FABRIC..... | NONE | NONE | NONE | NONE | |
| TOLUENE..... | 50 | PPM | TWA | ACGIH | Y |
| TOLUENE..... | 100 | PPM | TWA | OSHAV | |
| | | OSHA VACATED PEL | | | |
| TOLUENE..... | 150 | PPM | STEL | OSHAV | |
| | | OSHA VACATED PEL | | | |
| TOLUENE..... | 200 | PPM | TWA | OSHA | |
| TOLUENE..... | 300 | PPM | CEIL | OSHA | |
| TOLUENE..... | 75 | PPM | STEL | CMRG | Y |
| WHITE COLORANT..... | 10 | MG/M3 | TWA | ACGIH | |
| WHITE COLORANT..... | 10 | MG/M3 | TWA | OSHAV | |
| | | AS DUST | | | |
| | | OSHA VACATED PEL | | | |
| WHITE COLORANT..... | 15 | MG/M3 | TWA | OSHA | |
| | | AS TOTAL DUST | | | |
| WHITE COLORANT..... | 5 | MG/M3 | TWA | CMRG | |
| | | AS RESPIRABLE DUST | | | |

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly,

 Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

EXPOSURE LIMITS (continued)

| INGREDIENT | VALUE | UNIT | TYPE | AUTH | SKIN* |
|------------|-------|------|------|------|-------|
|------------|-------|------|------|------|-------|

by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- CMRG: Chemical Manufacturer Recommended Exposure Guidelines
- OSHA: Occupational Safety and Health Administration
- OSHAV: Occupational Safety and Health Administration Vacated PEL.
Vacated Permissible Exposure Limits (PEL) are enforced as
the OSHA PEL in some states. Check with your local
regulatory authority.
- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Eye contact is not expected to occur during normal use of the product.

No adverse health effects are expected from eye contact.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

Contact with the skin during product use is not expected to result in significant irritation.

INHALATION:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

Health effects from inhalation are not expected unless the product is over heated and decomposition occurs.

If thermal decomposition occurs:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

No adverse health effects are expected from swallowing.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: SRN-11823U. 0.23" WHITE SILICONE RUBBER COATED NEXTEL FABRIC, UNCURED
X 38".

November 15, 2001

PAGE 6

8. HEALTH HAZARD DATA (continued)

REPRODUCTIVE/DEVELOPMENTAL TOXINS:

WARNING: Contains a chemical which can cause birth defects. (108-88-3)

SECTION CHANGE DATES

PRECAUTIONARY INFO. SECTION CHANGED SINCE April 12, 2001 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.